

35 KVA DIESEL GENERATOR



Allcott Hire
All Equipment. All For Hire. All Areas.

Features

- Yanmar diesel engine - Water cooled
- Large fuel tank for extended running
- Three phase power
- Quiet – Super silent sound proof canopy (62db @ 7m)
- Environmentally Friendly – Fully bunded fluids prevents external fuel/oil spillage
- Durable – Robust anti-corrosive powder-coated steel canopy and stainless steel hinges and door latches
- Safety & Security Features - Emergency Stop, Earth leakage protection and lockable panels and doors
- Mobility - Forklift pockets and lifting eye
- Skid Base - Protects base due to frequent use

Super Silent, Rent Ready



The 35.0kVA Himoinsa Rental Super Silent Generator is powered by a Yanmar diesel engine and uses a Stamford alternator.

It is designed for the rental industry, with a heavy duty metal skid plates for easy manoeuvrability, central lifting hook, weather proof panels, single and three phase power and a large 100+ litre fuel tank.

Model Number	HRW35T5
Prime kVA	35kva
Standby kVA	37.0kva
Phase	Single & Three
Fuel Type	Diesel
Starting System	Electric Start
Watts (w)	33,500w
Rated Output (w)	26800w
Alternator Type	Stamford
Amps	46.6amps
Voltage (V)	240v / 415v - 50hz
Voltage Regulation	AVR
15amp outlet single phase	x2
20amp outlet three phase	x1
32amp outlet three phase	x1
Over Load Protector	Yes
Engine Make	Yanmar
Engine Type	4TNV98
Engine (kw)	33.5kw
Engine Features	Water cooled, 4 cylinder
Fuel Tank (L)	100L
Running Time (Rated Output)	16hr
Noise Level (dB @ 7m)	62db
Weight (kg)	960kg
Dimensions (LxWxH)	2150x1060x1328mm

50 KVA DIESEL GENERATOR



Allcott Hire
All Equipment. All For Hire. All Areas.

Features

- Yanmar diesel engine - Water cooled
- Large fuel tank for extended running
- Three phase power
- Quiet – Super silent sound proof canopy
- Environmentally Friendly – Fully bunded fluids prevents external fuel/oil spillage
- Durable – Robust anti-corrosive powder-coated steel canopy and stainless steel hinges and door latches
- Safety & Security Features - Emergency Stop, Earth leakage protection and lockable panels and doors
- Mobility - Forklift pockets and lifting eye
- Skid Base - Protects base due to frequent use

Super Silent, Rental Ready



The 50.0kVA HimoinSA Rental Super Silent Generator is powered by a Yanmar diesel engine and uses a Stamford alternator.

It is designed for the rental industry, with a heavy duty metal skid plates for easy manoeuvrability, central lifting hook, weather proof panels, single and three phase power and a large 100+ litre fuel tank.

Model Number	HRW50T5
Prime kVA	49.6kva
Standby kVA	54.2kva
Phase	Single & Three
Fuel Type	Diesel
Starting System	Electric Start
Watts (w)	49,600w
Rated Output (w)	39,680w
Alternator Type	Stamford
Amps	69.0amps
Voltage (V)	240v / 415v - 50hz
Voltage Regulation	AVR
15amp outlet single phase	x2
20amp outlet three phase	x1
32amp outlet three phase	x1
Over Load Protector	Yes
Engine Make	Yanmar
Engine Type	4TNV106
Engine (kw)	69.0kw
Engine Features	Water cooled, 4 cylinder
Fuel Tank (L)	400L
Running Time (Rated Output)	42hr
Noise Level (dB @ 7m)	TBA
Weight (kg)	1200kg
Dimensions (LxWxH)	2350x1100x1410mm

60 KVA DIESEL GENERATOR



Allcott Hire
All Equipment. All For Hire. All Areas.

Features

- Yanmar diesel engine - Water cooled
- Large fuel tank for extended running
- Three phase power
- Quiet – Super silent sound proof canopy
- Environmentally Friendly – Fully bunded fluids prevents external fuel/oil spillage
- Durable – Robust anti-corrosive powder-coated steel canopy and stainless steel hinges and door latches
- Safety & Security Features - Emergency Stop, Earth leakage protection and lockable panels and doors
- Mobility - Forklift pockets and lifting eye
- Skid Base - Protects base due to frequent use

Super Silent, Rental Ready



The 60.0kVA HimoinSA Rental Super Silent Generator is powered by a Yanmar diesel engine and uses a Stamford alternator.

It is designed for the rental industry, with a heavy duty metal skid plates for easy manoeuvrability, central lifting hook, weather proof panels, single and three phase power and a large 100+ litre fuel tank.

Model Number	HRYW60T5
Prime kVA	56.6kva
Standby kVA	62.0kva
Phase	Single & Three
Fuel Type	Diesel
Starting System	Electric Start
Watts (w)	56,600w
Rated Output (w)	45,280w
Alternator Type	Stamford
Amps	78.7amps
Voltage (V)	240v / 415v - 50hz
Voltage Regulation	AVR
15amp outlet single phase	x2
20amp outlet three phase	x1
32amp outlet three phase	x1
Over Load Protector	Yes
Engine Make	Yanmar
Engine Type	4TNV106T
Engine (kw)	50.9kw
Engine Features	Water cooled, 4 cylinder, turbo charged
Fuel Tank (L)	400L
Running Time (Rated Output)	40hr
Noise Level (dB @ 7m)	TBA
Weight (kg)	1220kg
Dimensions (LxWxH)	2350x1100x1441mm